

Insect Types in the ZFMK Collection, Bonn: Mantodea, Orthoptera

(last update: August 2006)

Karl-Heinz Lampe, Sigfrid Ingrisch, Dirk Rohwedder & Birgit Rach

running title:

LAMPE, INGRISCH, ROHWEDDER & RACH: Insect Types in ZFMK section Hymenoptera

Authors' addresses: Zoologisches Forschungsinstitut und Museum Alexander Koenig (ZFMK), Adenauerallee 160, 53113 Bonn, Germany, k.lampe.zfmk@uni-bonn.de

Abstract. The type specimens of Mantodea and Orthoptera housed in the Zoologisches Forschungsinstitut und Museum Alexander Koenig (ZFMK), Bonn, are listed. There are 83 names recorded; of these 77 (93%) are represented by name bearing (i.e., primary) types. Specific and subspecific names are listed alphabetically, followed by the original genus name, bibliographic citation, original label information (in case of primary types), date and place collected, and finally the geographical coordinates (latitude and longitude based on geo-referencing process).

Key words. Type specimens, Mantodea, Orthoptera

Introduction

This catalogue is generated from the specimen based database BIODAT. Data capture was mainly done within the DIG project ('Digitization of key Insect groups at ZFMK'). DIG is one of the subprojects of the German GBIF subnode Insecta. It is financially supported by the German Ministry of Science and Education (BMBF) and will run until the end of the year 2005. By adaptation to the ABCD schema (Access to Biological Collection Data) BIODAT became both a BIOCASE- (Biological Collection Access Service for Europe) and GBIF- (Global Biodiversity Information Infrastructure) provider. Therefore full information at the specimen level, and not only of type specimens, for selected ZFMK insect collections (starting with "Homoptera" & Orthoptera) will be sustainably available on the World Wide Web. In case of type specimens we will successively provide images of the type itself and of the original labels.

In this publication the specific and subspecific taxa are grouped by orders and arranged alphabetically. They are listed by species epitheta, followed by the genus name (both in the original spelling), author and year. The citation of the original description was checked and is followed by BIODAT's catalogue number, type status, number of specimens, developmental stage and sex. If the current classification differs from the original name, the valid name is added together with its bibliographic source. In a similar manner the designation of lecto- and neotypes are referenced. The abbreviations of all citations are based on the "World List of Scientific Periodicals" (Brown, P. and G. B. Stratton, 1963). All primary types are listed with the original label information, supplemented by date- and place collected information (normally 'named area' information, the more exact 'gathering site' information are marked). Historical or 'older' place names are updated with names in common use (in parentheses) and higher ranked geographic information such as region, country and continent is added in a hierarchy. Since geo-referencing of collecting places and sites, by using the Alexandria Digital Library gazetteer (ADL) and similar authority files, is part of databasing our collections with BIODAT, the resulting latitude and longitude information could be added easily. To avoid hypertrophic text length most of the secondary types are listed without original label information. If the collection, however, harbour only secondary types of a given taxon the original label information is given for the first type specimen. Table 1 shows the number of primary and secondary types in insect orders of ZFMK section Hymenoptera.

Acknowledgements

For checking the english text we want to thank Dr. B.J. Sinclair (ZFMK, Bonn).

Tab. 1: Types in insect collections of ZFMK (last update: August 2006)

	Holo- types	Lecto- types	Syn- types	Neo- types	'Allo- types'	Para- types	Para- lecto- types	Para- neo- types	Status of Type unclear
Mantodea	1								
Orthoptera	74		7		10	156			

Images of the respected type specimens are presented on the web via <http://www.biodat.de>.

Mantodea

betancuriae, *Pseudoyersinia*

Wiemers, 1993

Wiemers, 1993: Nachr. ent. Ver. Apollo 14(3): 262

MAN 2004/1 **Holotype** 1 adult female

Islas Canarias: --- Fuerteventura: --- Betancuria, Bco. de. Ajuy, --- 400m NN, 26.II.1991 --- M. Wiemers leg. ---
Pseudoyersinia sp. --- vic. canariensis Chop. --- female --- det. Kaltenbach XI. '91 --- *Pseudoyersinia betancuriae*
 --- WIEMERS 1993 (female)
 26.2.1991
 Betancuria, Fuerteventura (isld.), Canarias, Islas (isld.), Spain, Europe
 00°00'14" O 00°00'28" N

Orthoptera

acuta, *Aphonoides*

S. Ingrisch, 1997

Ingrisch, 1997: Senckenberg. biol. 77(1): 66

ORT 2002/100 **Holotype** 1 adult male

Thailand - Tak - Umphang - 6-8 km S. bamboo for. - 18.X.1991 - leg. S. Ingrisch Holotype männlich ---
Aphonoides acuta Ingrisch n.sp. det. S. Ingrisch, 1997
 18.10.1991
 Umphang, Tak, Thailand, Asia
 98°50'00" O 15°58'00" N (site information)

acutilobus, *Velarifictorus* (*Velarifictorus*)

S. Ingrisch, 1998

Ingrisch, 1998: Ent. Scand. 29(3): 320

ORT 2002/80 **Holotype** 1 adult male

Thailand - Chiang Mai - Doi Suthep - Urwaldweg - 3.6.1986 - leg. S. Ingrisch Holotype männlich --- *Velarifictorus*
acutilobus Ingrisch n.sp. det. S. Ingrisch 1998
 3.6.1986
 Chiang Mai, Chiang Mai, Thailand, Asia
 98°55'00" O 18°48'00" N (site information)

Insect Types in the ZFMK Collection, Bonn: Mantodea, Orthoptera

ORT 2002/81 **Paratype** 1 adult male
24.5.1988
Nam Nao, Phetchabun, Thailand, Asia
101°27'00" O 16°47'00" N (site information)

angustus, Ornebius

S. Ingrisch, 2006

Ingrisch, 2006: Rev. suisse de zoo. 113(1):145

ORT 2006/1356 **Holotype** 1 adult female
Thailand, Chiang Mai prov., Doi Suthep, 1150-1350m, mountain forest, 28.V.1997, S.Ingrisch --- HOLOTYPE -
Ornebius angustus Ingrisch sp.n. - female - det. S.Ingrisch 2004 --- Ornebius angustus Ingrisch sp.n. - female - det.
S.Ingrisch 2004 - HOLOTYPE - ID: CIGmogo4S04
28.5.1997
Doi Suthep-Pui (mts.), Chiang Mai, Thailand, Asia
98°55'00" O 18°48'00" N (site information)

angustus, Velarifictorus (Velarifictorus)

S. Ingrisch, 1998

Ingrisch, 1998: Ent. Scand. 29(3): 330

ORT 2002/82 **Holotype** 1 adult male
Thailand - zwischen Phuket - Bangkok - Bus Raststätt. - nachts am L. - 14.6.1986 - leg. S. Ingrisch
Holotype männlich --- Velarifictorus angustus Ingrisch n.sp. --- det. S. Ingrisch, 1998
14.6.1986
Phuket, Phuket, Thailand, Asia
99°05'00" O 10°30'00" N (site information)

argentata, Deflorita

S. Ingrisch, 1998

Ingrisch, 1998: Ent. Z. 108(3): 102

ORT 2002/189 **Holotype** 1 adult male
Thailand - Khao Yai NP - ca. 800 m - forest; light trap - 15.-18.X.1990 - leg. S. Ingrisch --- Holotype männlich ---
Deflorita argentata Ingrisch 1998 det. S. Ingrisch, 1998
15.-18.10.1990
Khao Yai (NP), Nakhon Ratchasima, Thailand, Asia
101°23'00" O 14°23'00" N (site information)

ORT 2002/190 **Paratype** 1 adult female
15.-18.10.1990
Khao Yai (NP), Nakhon Ratchasima, Thailand, Asia
101°23'00" O 14°23'00" N (site information)

argentatus, Ectatoderus

S. Ingrisch, 2006

Ingrisch, 2006: Rev. suisse de zoo. 113(1):167

ORT 2006/1343 **Holotype** 1 adult male
Thailand, Nakhon Ratchasima, Khao Yai, 700m, 6.-8.IV.1995 - S.Ingrisch - at night --- HOLOTYPE - Ectatoderus
argentatus - Ingrisch sp.n. - male - det. S.Ingrisch 2004 --- Ectatoderus argentatus Ingrisch sp.n. - male - det. S.Ingrisch
2004 - HOLOTYPE - ID:CIGmogo5M01 --- Stridulation (S): 2522 D31:45.00-49.00 - 2526 D31:58.25-59.20
6.-8. 4.1995
Nam Tok Pakluai Mai [Orchid waterfall], Khao Yai (NP), Nakhon Ratchasima, Thailand, Asia
101°35'00" O 14°20'00" N (site information)

Insect Types in the ZFMK Collection, Bonn: Mantodea, Orthoptera

aureus, Ornebius

S. Ingrisch, 2006

Ingrisch, 2006: Rev. suisse de zoo. 113(1):146

ORT 2006/1357 **Holotype** 1 adult male

Thailand, Chiang Mai, Doi Suthep, 1100-1200m, 6.IV.1993, ex larvae, S.Ingrisch --- HOLOTYPE - Ornebius aureus
Ingrisch sp.n. - male - det. S.Ingrisch 2004 --- Ornebius aureus Ingrisch sp.n. - male - det. S.Ingrisch 2004 - HOLOTYPE
- ID:CIGmogo4T497 --- Stridulation (S): 2348 D22:23.00-24.30 2349 D22:24.30-26.00 2351 D22:26.38-31.45 ---
Stridulation: 2352 D22:31.45-35.00 2354 D22:37.30-41.00

6.4.1993

Doi Suthep-Pui (mts.), Chiang Mai, Thailand, Asia
98°55'00" O 18°48'00" N (site information)

ORT 2006/1358 **Paratype** 1 adult female

13.4.1993

Doi Suthep-Pui (mts.), Chiang Mai, Thailand, Asia
98°55'00" O 18°48'00" N (site information)

bicolor, Calyptotrypus

S. Ingrisch, 1997

Current classification: *Sonotrella (Calyptotrella) bicolor* (Ingrisch, 1997)

Ingrisch, 1997: Senckenberg. biol. 77(1): 49

Gorochov, A.V. (2002). Zoosyst. Rossica 10313 [referred to new subgenus Sonotrella (Calyptotrella)]

ORT 2002/98 **Holotype** 1 adult male

Thailand - Prachuap Khiri Khan - 350m Nam Tok - Pala U forest - 12.IX.1993 - leg. S. Ingrisch --- Holotype männlich
--- Calyptotrypus bicolor Ingrisch n.sp. det. S. Ingrisch, 1997

12.9.1993

Prachuap Khiri Khan, Prachuap Khiri Khan, Thailand, Asia
99°32'00" O 12°35'00" N (site information)

bicornis, Velarifictorus (Velarifictorus)

S. Ingrisch, 1998

Ingrisch, 1998: Ent. Scand. 29(3): 333

ORT 2002/85 **Holotype** 1 adult male

Thailand - Doi Chiang Dao - Bergwald, Brachfelder - 4.-7.6.1986 - leg. S. Ingrisch --- Holotype männlich ---
Velarifictorus bicornis Ingrisch n.sp.

4.-7.6.1986

Chiang Dao, Doi Chiang Dao (mts.), Chiang Mai, Thailand, Asia
98°58'00" O 19°22'00" N

ORT 2002/86 **Paratype** 1 adult female

4.-7.6.1986

Chiang Dao, Doi Chiang Dao (mts.), Chiang Mai, Thailand, Asia
98°58'00" O 19°22'00" N

bigemina, Mirollia

S. Ingrisch, 1998

Ingrisch, 1998: Ent. Z. 108(3): 94

ORT 2002/193 **Holotype** 1 adult male

WB/India - Darjeeling - Manjitar - 30.VI.1987 - W.Thomas --- Holotype männlich --- Mirollia bigemina --- Ingrisch
1998 --- det. S. Ingrisch, 1998

30.6.1987

Manjitar, Darjiling, West Bengal, India, Asia

Insect Types in the ZFMK Collection, Bonn: Mantodea, Orthoptera

bogor, Ornebius

S. Ingrisch, 2006

Ingrisch, 2006: Rev. suisse de zoo. 113(1):148

ORT 2006/1359 **Holotype** 1 adult female

Indonesia, West Java, Bogor, Kebun Raya, 9.II.1995, S.Ingrisch --- HOLOTYPE - *Ornebius bogor* Ingrisch sp.n. - female
- det. S.Ingrisch 2004 --- *Ornebius bogor* Ingrisch sp.n. - female - det. S.Ingrisch 2004 - HOLOTYPE - ID:
CIGmogo29S01

9.2.1995

Kebun Raya (Bogor), Jawa Barat, Jawa (isld.), Indonesia, Asia

106°47'00" O 6°35'00" S (site information)

bornhalmi, Chorthippus

Harz, 1971

Current classification: *Chorthippus (Glyptobothrus) bornhalmi* Harz, 1971

Harz, 1971: Atalanta 3: 336

Harz, 1975: Orth. Europ. II: 890 [*Chorthippus (Glyptobothrus) bornhalmi*]

ORT 2003/1680 **Holotype** 1 adult male

Terra typica: Dubrovnik, Jugoslawien, Sommer 1969, leg. D. Bornhalm (nach Originalbeschreibung K.Harz:

Atalanta Műnnerstadt. 3:336 (1971)) --- *Chorthippus bornhalmi* Harz --- det. K.Harz

Sommer 1969

Dubrovnik, Dubrovacko-Neretvanska Zupanij, Croatia, Europe

18°05'19" O 42°39'01" N

ORT 2003/1681 **Allotype** 1 adult female

ORT 2003/1682,1684 **Paratypes** 2 adult male

ORT 2003/1683 **Paratype** 1 adult female

Sommer 1969

Dubrovnik, Dubrovacko-Neretvanska Zupanij, Croatia, Europe

18°05'19" O 42°39'01" N

brevicauda, Terraplistes

S. Ingrisch, 2006

Ingrisch, 2006: Rev. suisse de zoo. 113(1):188

ORT 2006/1398 **Holotype** 1 adult female

Thailand, Saraburi, 350m, Muak Lek, forest near waterfall, 7.IX.1993, S.Ingrisch --- HOLOTYPE - *Terraplistes
brevicauda* Ingrisch sp. n. - female - det. S.Ingrisch 2004 --- *Terraplistes brevicauda* Ingrisch sp.n. - female - det.
S.Ingrisch 2004 - HOLOTYPE - ID: CIGmogterS11

7.9.1993

Nam Tok Muak Lek, Sara Buri, Thailand, Asia

101°13'00" O 14°43'00" N (site information)

brevipalpus, Ornebius

S. Ingrisch, 2006

Ingrisch, 2006: Rev. suisse de zoo. 113(1):148

ORT 2006/1360 **Holotype** 1 adult male

Thailand, Lampang, 900m, Doi Khun Tan, savanna/forest, at night, 16./17.IX.1993, S.Ingrisch --- HOLOTYPE -
Ornebius brevipalpus Ingrisch sp.n. - male - det. S. Ingrisch 2004 --- *Ornebius brevipalpus* Ingrisch sp.n. - male - det.
S.Ingrisch 2004 - HOLOTYPE - ID: CIGorne15S01

16./17.4.1993

Doi Khun Tan Noi (mts.), Lampang, Thailand, Asia

99°18'00" O 18°29'00" N (site information)

Insect Types in the ZFMK Collection, Bonn: Mantodea, Orthoptera

caligata, Mirollia

S. Ingrisch, 1998

Ingrisch, 1998: Ent. Z. 108(3): 92

ORT 2002/194 **Holotype** 1 adult male
Thailand - Lampang - 900 m - Doi Khun Tan - at lamp - 16.IX.1993 - leg. S. Ingrisch --- Holotype männlich --- *Mirollia caligata* Ingrisch 1998 --- det. S. Ingrisch, 1998
16.9.1993
Doi Khun Tan Noi, Lamphun, Thailand, Asia
99°18'00" O 18°29'00" N (site information)

citrus, Ornebius

S. Ingrisch, 2006

Ingrisch, 2006: Rev. suisse de zoo. 113(1):150

ORT 2006/1361 **Holotype** 1 adult male
EAST MALAYSIA: Sabah, Crocker Range, 18.ii.2001, canopy fogging, leg. A.Floren - CRB6KII --- HOLOTYPE - *Ornebius citrus* n.sp. - det. S.Ingrisch 2004 --- *Ornebius citrus* n.sp. - det.S.Ingrisch 2004 - ID: OGFornoneS38
18.2.2001
near village Bandukan-Keningau, Crocker Range (mts.), Sabah, Malaysia, Asia
116°08'00" O 5°26'00" N (site information)

ORT 2006/1362-1364 **Paratype** 3 adult female

ORT 2006/1365-1371 **Paratype** 7 adult male

18.2.2001

near village Bandukan-Keningau, Crocker Range (mts.), Sabah, Malaysia, Asia

116°08'00" O 5°26'00" N (site information)

ORT 2006/1372-1377 **Paratype** 6 adult female

ORT 2006/1378-1383 **Paratype** 6 adult male

20.2.2001

near village Ulu Liawan, Crocker Range (mts.), Sabah, Malaysia, Asia

116°05'00" O 5°24'00" N (site information)

ORT 2006/1384 **Paratype** 1 adult female

ORT 2006/1385-1390 **Paratype** 6 adult male

21.2.2001

Crocker Range (mts.), Sabah, Malaysia, Asia

chantri, Terraplistes

S. Ingrisch, 2006

Ingrisch, 2006: Rev. suisse de zoo. 113(1):189

ORT 2006/1399 **Holotype** 1 adult male
Thailand, Nakhon Ratchasima, Pak Chong, Wat Khao Chantree, 350m, dry forest, 9.IV.1995, S.Ingrisch --- HOLOTYPE - *Terraplistes chantri* Ingrisch sp.n. - male - det. S.Ingrisch 2004 --- *Terraplistes chantri* Ingrisch sp.n. - male - det. S.Ingrisch 2004 - HOLOTYPE - ID: CIGmogterS06 --- mit Bleistift: Parapact?
9.4.1995

Wat Khao Chantree, Pak Chong, Nakhon Ratchasima, Thailand, Asia

101°20'00" O 14°43'00" N (site information)

ORT 2006/1400 **Paratype** 1 adult female

9.4.1995

Wat Khao Chantree, Pak Chong, Nakhon Ratchasima, Thailand, Asia

101°20'00" O 14°43'00" N (site information)

Insect Types in the ZFMK Collection, Bonn: Mantodea, Orthoptera

chong, *Apterornebius*

S. Ingrisch, 2006

Ingrisch, 2006: Rev. suisse de zoo. 113(1): 164

ORT 2006/1333 **Holotype** 1 adult female

Thailand Trang Khao Chong - forest undergr. - 23. - 24. X.1991 - Ingrisch --- HOLOTYPE *Apterornebius chong* Ingrisch sp.n. - female - det. S. Ingrisch 2004 --- *Apterornebius chong* Ingrisch sp.n. - female - det. S. Ingrisch 2004 - HOLOTYPE - ID: CIGorne16S01

23.-24.10.1991

Khao Chong, Trang, Thailand, Asia

99°50'00" O 73°00'00" N

confinius, *Velarifictorus (Velarifictorus)*

S. Ingrisch, 1998

Ingrisch, 1998: Ent. Scand. 29(3): 328

ORT 2002/87 **Holotype** 1 adult male

Thailand - Tak Prov. - Doi Mon Kathing - ca. 800m - Lichtfang - 15.5.1988 - leg. S. Ingrisch --- Holotype männlich --- *Velarifictorus confinius* Ingrisch n.sp.

15.5.1988

Mae Salid, Monkrating, Doi Den Kathing (mts.), Tak, Thailand, Asia

98°05'00" O 17°30'00" N (site information)

ORT 2002/101 **Paratype** 1 adult female

16.5.1988

Mae Salid, Monkrating, Doi Den Kathing (mts.), Tak, Thailand, Asia

98°05'00" O 17°30'00" N (site information)

cotticus, *Stenobothrus (Stenobothrodes)*

Kruseman & Jeekel, 1967

Current classification: ***Stenobothrus cotticus* Kruseman & Jeekel, 1967**

Kruseman and Jeekel, 1967: Ent. Ber., Amst. 27(1): 1

Harz. 1975. Ser. Entomol. 11:776 [*Stenobothrus (Crotalacris)*]

Ragge. 1987. Bull. Br. Mus. (Nat. Hist.) Ent. 49(2):103-151 [*Crotalacris* as syn. of *Stenobothrus*]

ORT 2003/3013 **Paratype** 1 adult female

FRANCE H.Alp. - Col d'Izoard - 350 m -- 20 - VIII - 1962 -- G.Kruseman c.s. --- PARATYPE --- *Stenobothrus cotticus* (Kr. et J.) - Kruseman det.1973

20.8.1962

Col d'Izoard, Provence-Alpes-Cotê d'Azur, France, Europe

06°43'59" O 44°48'59" N

ORT 2003/3073 **Paratype** 1 adult male

20.8.1962

Col d'Izoard, Provence-Alpes-Cotê d'Azur, France, Europe

06°43'59" O 44°48'59" N

diffundatus, *Eumacroxiphus*

S. Ingrisch, 1998

Ingrisch, 1998: Courier Forsch. inst. Senckenberg. 206: 85

ORT 2005/421 **Paratype** 1 adult female

MALAYSIA; Sabah - Sayap - 14.6.1993 - leg. Hoffmann - 4 --- PARATYPE (female) : - *Eumacroxiphus diffundatus* - det. S. Ingrisch, 1996 --- DORSA - CITEumdif P01 ---

14.6.1993

Sayab-Kinabalu Park, Sabah, Malaysia, Asia

ORT 2005/422 **Paratype** 1 adult male

16.6.1993

Sayab-Kinabalu Park, Sabah, Malaysia, Asia

Insect Types in the ZFMK Collection, Bonn: Mantodea, Orthoptera

directa, Hueikaeana

S. Ingrisch, 1998

Ingrisch, 1998: Ent. Z. 108(3): 97

ORT 2002/192 **Holotype** 1 adult male

Thailand - Chiang Mai - Huei Kaeo - 400-600 m - ex larvae - 15.IX.1993 - leg. S. Ingrisch --- Holotype männlich ---

Hueikaeana directa Ingrisch 1998 --- det. S. Ingrisch, 1998

15.9.1993

Huei Kaeo (waterfall), Chiang Mai, Thailand, Asia

98°57'00" O 18°48'00" N (site information)

erawan, Gotvandia

S. Ingrisch, 2006

Ingrisch, 2006: Rev. suisse de zoo. 113(1):169

ORT 2006/1345 **Holotype** 1 adult male

Thailand, Kanchanaburi, Nam Tok Erawan, dry ever-green forest, 9.IV.1994 - S.Ingrisch --- HOLOTYPE - Gotvandia

erawan Ingrisch sp.n. - male - det. S.Ingrisch 2004 --- Gotvandia erawan Ingrisch sp.n. - male - det. S.Ingrisch 2004 -

HOLOTYPE - ID: CIGgotvenS01

9.4.1994

Nam Tok Erawan, Kanchanaburi, Thailand, Asia

99°08'00" O 14°20'00" N (site information)

erawan, Terraplistes

S. Ingrisch, 2006

Ingrisch, 2006: Rev. suisse de zoo. 113(1):190

ORT 2006/1401 **Holotype** 1 adult female

Thailand, Kanchanaburi, Nam Tok Erawan, dry evergreen forest, 9.IV.1994, ex larvae, S.Ingrisch --- HOLOTYPE -

Terraplistes erawan Ingrisch sp.n. - female - det. S.Ingrisch 2004 --- Terraplistes erawan Ingrisch sp.n. - female - det.

S.Ingrisch 2004 - HOLOTYPE - ID: CIGmogterS02

9.4.1994

Nam Tok Erawan, Kanchanaburi, Thailand, Asia

99°08'00" O 14°20'00" N (site information)

excisa, Terraplistes

S. Ingrisch, 2006

Ingrisch, 2006: Rev. suisse de zoo. 113(1):190

ORT 2006/1402 **Holotype** 1 adult female

Thailand, Prachuap Khiri Kan, Kaeng Krachan, 4km SE Pala-U, forest, 2.IV.1993, S.Ingrisch --- HOLOTYPE -

Terraplistes excisa Ingrisch s.n. - female - det. S.Ingrisch 2004 --- Terraplistes excisa Ingrisch sp.n. - female - det.

S.Ingrisch 2004 - HOLOTYPE - ID: CIGmogterS01

2.4.1993

Kaeng Krachan (reservoir), Prachuap Khiri Khan, Thailand, Asia

99°32'00" O 12°35'00" N (site information)

flori, Ornebius

S. Ingrisch, 1998

Ingrisch, 1998: Senckenberg. biol. 77(2): 226

ORT 2002/168 **Holotype** 1 adult male

Borneo - Sabah - Poring - 6°5' N ; 116°33' E - 1993 - leg. A. Floren - Apo 73/16 --- Holotype männlich --- Ornebius

flori Ingrisch n.sp.

1993

Poring (= Kampong Poring), Kinabalu Taman Negara (park, mts.), Sabah, Malaysia, Asia

116°43'00" O 06°03'00" N

Insect Types in the ZFMK Collection, Bonn: Mantodea, Orthoptera

ORT 2002/169 **Allotype** 1 adult female
1993
Poring (= Kampong Poring), Kinabalu Taman Negara (park, mts.), Sabah, Malaysia, Asia
116°43'00" O 06°03'00" N

ORT 2002/170-173,175,176,178-184,2353-57,2359-60,2363
 Paratypes 25 adult female
1993

ORT 2002/174,177,180-183,2351-52,2358,2361-62
 Paratypes 16 adult male
1993
Poring (= Kampong Poring), Kinabalu Taman Negara (park, mts.), Sabah, Malaysia, Asia
116°43'00" O 06°03'00" N

glabra, *Noctitrella*

S. Ingrisch, 1997

Ingrisch, 1997: Senckenberg. biol. 77(1): 57

ORT 2002/129 **Holotype** 1 adult male
Thailand - Surat Thani - Khao Sok - 150 m - sec.veg. at forest, at night coll. - 25.I.1997 – leg. S. Ingrisch --- Holotype männlich --- *Noctitrella glabra* Ingrisch n.sp. --- det. S. Ingrisch, 1997
25.1.1997
Khao Sok (NP), Surat Thani, Thailand, Asia
98°30'00" O 08°55'00" N (site information)

gracilis, *Dociostaurus*

Werner, 1913

Current Classification: Synonym of *Stenohippus xanthus* (Karny, 1907)

Werner, 1913: Zool. Jb. Abt. Syst. Ökol. Geogr. Tiere 34(2): 220
Johnston, 1956: Annot. Cat. Afr. Grasshoppers: 688 [*Stenohippus*]
Jago, 1996: Orth. Res. 5: 122 [Syn. of *Stenohippus xanthus*]

ORT 2003/3211 **Holotype** 1 adult male
102 --- *Dociostaurus gracilis* Werner --- male --- Abu Zeid --- 18.II.10 --- Typus
18.2.1910
Abu Zeid (= Abu Zayd), Al Wusta, Sudan, Africa
33°26'00" O 15°03'59" N

gradifrons, *Velarifictorus* (*Velarifictorus*)

S. Ingrisch, 1998

Ingrisch, 1998: Ent. Scand. 29(3): 329

ORT 2002/102 **Holotype** 1 adult male
Thailand - Nan - 1300-1600 m - Doi Phukha - 5.X.1991--- leg. S. Ingrisch --- Holotype männlich --- *Velarifictorus gradifrons* Ingrisch n.sp. --- det. S. Ingrisch, 1998
5.10.1991
Doi Phukha (mts.), Nan, Thailand, Asia
101°07'00" O 19°15'00" N (site information)

ORT 2002/103 **Paratype** 1 adult female
5.10.1991
Doi Phukha (mts.), Nan, Thailand, Asia
101°07'00" O 19°15'00" N (site information)

Insect Types in the ZFMK Collection, Bonn: Mantodea, Orthoptera

hamata, Mirollia

S. Ingrisch, 1998

Ingrisch, 1998: Ent. Z. 108(3): 93

ORT 2002/195 **Holotype** 1 adult male

Thailand - Khao Yai NP - ca. 800 m - forest; light trap - 15.-18.X.1990 - leg. S. Ingrisch --- Holotype männlich ---

Mirollia hamata Ingrisch 1998

15.-18.10.1990

Khao Yai (NP), Nakhon Ratchasima, Thailand, Asia

101°23'00" O 14°23'00" N (site information)

ORT 2002/196 **Paratype** 1 adult female

15.-18.10.1990

Khao Yai (NP), Nakhon Ratchasima, Thailand, Asia

101°23'00" O 14°23'00" N (site information)

hellenica, Saga

Kaltenbach, 1967

Kaltenbach, 1967: Beitr. Ent. 17(1-2): 61

ORT 2002/1458 **Paratype** 1 adult male

GRIECHENLAND --- b. Mykene 3.6.59 --- Buchholz - Forst --- Saga hellenica n.sp. --- (= S. vittata auct. nec.

F.-W., --- = S. italica Ramme, nec Costa) --- det. Kaltenbach --- Paratypoid

3.6.1959

Mykene (= Mycenae = Mikinai), Argolis, Peloponnisos (= Peloponnes), Greece, Europe

2°44'00" O 37°45'00" N

hexapinna, Mirollia

S. Ingrisch, 1998

Ingrisch, 1998: Ent. Z. 108(3): 89

ORT 2002/197 **Holotype** 1 adult male

Thailand - Khao Yai NP - 700 m - 16.X.1990 - ex ovo Zucht 1991 - leg. S. Ingrisch --- Holotype männlich --- Mirollia

hexapinna Ingrisch 1998

16.10.1990

Khao Yai (NP), Nakhon Ratchasima, Thailand, Asia

101°23'00" O 14°23'00" N (site information)

ORT 2002/198 **Paratype** 1 adult female

15.-18.10.1990

Khao Yai (NP), Nakhon Ratchasima, Thailand, Asia

101°23'00" O 14°23'00" N (site information)

hirsuta, Noctitrella

S. Ingrisch, 1997

Ingrisch, 1997: Senckenberg. biol. 77(1): 57

ORT 2002/130 **Holotype** 1 adult male

Thailand - Chanthaburi - Khao Soi Dao - Urwaldstraße - 12.6.1988 - leg. S. Ingrisch --- Holotype männlich ---

Noctitrella hirsuta Ingrisch n.sp. --- det. S. Ingrisch, 1997

12.6.1988

Khao Soi Dao (forest reserve), Chanthaburi, Thailand, Asia

102°13'00" O 13°00'00" N (site information)

horridus, Velarifictorus (Velarifictorus)

S. Ingrisch, 1998

Ingrisch, 1998: Ent. Scand. 29(3): 322

ORT 2002/104 **Holotype** 1 adult male
 Thailand - Loei Prov. - Nam Nao NP - at night - 13.-14.9.1989 - leg. S. Ingrisch --- Holotype männlich --- *Velarifictorus horridus* Ingrisch n.sp. --- det. S. Ingrisch, 1998
 13.-14.9.1989
 Nam Nao, Phetchabun, Thailand, Asia
 101°27'00" O 16°47'00" N (site information)

ORT 2002/105 **Paratype** 1 adult female
 13.-14.9.1989
 Nam Nao, Phetchabun, Thailand, Asia
 101°27'00" O 16°47'00" N (site information)

humeralis, Bolivaritettix

Günther, 1939

Günther, 1939: Abh. Ber. st. Mus. Tierk., Dresden 20: 84

ORT 2003/2734 **Paratype** 1 adult male
 Kwangtseh - Fukien - J.Klapperich 0 - 1.8.1937 --- Paratypus --- *Bolivaritettix humeralis* n.sp.- K. Günther det.
 1.8.1937
 Kwangtseh (= Hangchuan), Wuyi Shan (mts.), Fujian, China, Asia
 117°24'00" O 27°30'00" N

imitatus, Ornebius

S. Ingrisch, 2006

Ingrisch, 2006: Rev. suisse de zoo. 113(1):154

ORT 2006/1391 **Holotype** 1 adult female
 Indonesia, West Java, Palabuan Ratu, Samudra beach, forest, 6.III.1995, S.Ingrisch --- HOLOTYPE - *Ornebius imitatus* Ingrisch sp.n. - female - det. S.Ingrisch 2004 - *Ornebius imitatus* Ingrisch sp.n. - female - det. S.Ingrisch 2004 - ID: ClGmogo2F07
 6.3.1995
 Samudra beach, Palabuan Ratu (bays), Jawa Barat, Jawa (isld.), Indonesia, Asia
 106°30'00" O 6°58'00" S (site information)

incertus, Derectaotus

S. Ingrisch, 1998

Ingrisch, 1998: Senckenberg. biol. 77(2): 232

ORT 2002/139 **Holotype** 1 adult male
 Borneo - Sabah - Poring - 6°5' N ; 116°33' E ---- 4.II.1994 - leg. A. Floren - UB6 --- Holotype männlich --- *Derectaotus incertus* Ingrisch n.sp. --- det. S. Ingrisch, 1997
 4.2.1994
 Poring (= Kampong Poring), Kinabalu Taman Negara (park, mts.), Sabah, Malaysia, Asia
 116°43'00" O 06°03'00" N

inopinatus, Micronebius

S. Ingrisch, 2006

Ingrisch, 2006: Rev. suisse de zoo. 113(1):174

ORT 2006/1346 **Holotype** 1 adult male
 Thailand Ching Mai, with fruit from market, 17.IX.1993, S.Ingrisch --- HOLOTYPE - *Micronebius inopinatus* Ingrisch sp.n. - male - det. S.Ingrisch 2004 --- *Micronebius inopinatus* Ingrisch sp.n. - male - det. S.Ingrisch 2004 - HOLOTYPE - ID: ClGmogo3M01 --- Stridulation (S): 0703 SO6/93:314-365
 17.9.1993
 Chiang Mai, Chiang Mai, Thailand, Asia
 98°58'59" O 18°46'59" N

Insect Types in the ZFMK Collection, Bonn: Mantodea, Orthoptera

insularis, Micronebius

S. Ingrisch, 2006

Ingrisch, 2006: Rev. suisse de zoo. 113(1):175

ORT 2006/1347 **Holotype** 1 adult male
THAILAND: Ko Samui, Hin Lad falls, Urwaldpfad, 26.-27.IX.1989, S.Ingrisch --- HOLOTYPE - *Micronebius insularis* Ingrisch sp.n. - male - det. S.Ingrisch 2004 --- *Micronebius insularis* Ingrisch sp.n. - male - det. S.Ingrisch 2004 - HOLOTYPE - ID: CIGmogo27T417 - mit Bleistift: 917
26.-27.9.1989
Hin Lad Falls (waterfall), Koh Samui (isld.), Nakhon Si Thammarat, Thailand, Asia
98°58'00" O 9°31'00" N (site information)

ORT 2006/1348 **Paratype** 1 adult female
26.-27.9.1989
Hin Lad Falls (waterfall), Koh Samui (isld.), Nakhon Si Thammarat, Thailand, Asia
98°58'00" O 9°31'00" N (site information)

integra, Deflorita

S. Ingrisch, 1998

Ingrisch, 1998: Ent. Z. 108(3): 103

ORT 2002/191 **Holotype** 1 adult male
SABAH - Poring - 4.V.1991 - leg. Riede ---Holotype männlich --- *Deflorita integra* Ingrisch 1998 --- det. S. Ingrisch, 1998
4.5.1991
Poring (= Kampong Poring), Kinabalu Taman Negara (park, mts.), Sabah, Malaysia, Asia
116°43'00" O 06°03'00" N

irmi, Camponophilus

S. Ingrisch, 1995

Ingrisch, 1995: Ent. Z. 105(21): 424

ORT 2002/133 **Holotype** 1 adult male
Borneo - Sabah - Poring - 6°5' N ; 116°33' E - --- 30.VII.1991 - leg. M. Pfeiffer - Probe 16 Holotype männlich --- *Camponophilus irmi*
30.7.1991
Poring (= Kampong Poring), Kinabalu Taman Negara (park, mts.), Sabah, Malaysia, Asia
116°43'00" O 06°03'00" N

ORT 2002/134 **Allotype** 1 adult female
5.1994

ORT 2002/135 **Paratype** 1 adult female
30.10.1991

ORT 2002/136 **Paratype** 1 adult male
30.11.1992

ORT 2002/137 **Paratype** 1 adult female
19.4.1993

ORT 2002/138 **Paratype** 1 adult female
28.3.1994
Poring (= Kampong Poring), Kinabalu Taman Negara (park, mts.), Sabah, Malaysia, Asia
116°43'00" O 06°03'00" N

Insect Types in the ZFMK Collection, Bonn: Mantodea, Orthoptera

kinabalu, Apterornebius

S. Ingrisch, 2006

Ingrisch, 2006: Rev. suisse de zoo. 113(1): 165

- ORT 2006/1334** **Holotype** 1 adult male
E.MALAYSIA: Sabah, Sorinsim, 2. iii. 1997, second forest (15y) - leg. Floren - SeWall08F1 --- HOLOTYPE -
Apterornebius kinabalu n.gen & n.sp. det. S.Ingrisch 2004 --- Apterornebius kinabalu n.gen. & n.sp. - det. S.Ingrisch
2004 - ID: OGFornaptS01
2.3.1997
Sorinsim, Sabah, Malaysia, Asia
- ORT 2006/1335** **Paratype** 1 adult male
2.3.1997
- ORT 2006/1336** **Paratype** 1 adult female
7.3.1997
Sorinsim, Sabah, Malaysia, Asia

klapperichi, Phyllomimus (Phyllomimus)

Beier, 1954

Beier, 1954: Revision der Pseudophyllinen: 112

- ORT 2002/1261** **Holotype** 1 adult female
Kuatun (2300 m) 27.40 n. Br.--- 117.40 ö. Länge, J. Klapperich --- 01.09.1938 (Fukien) --- Type --- Phyllomimus
klapperichi n.sp. --- Type ! female --- det.
1.9.1938
Kuatun, Wuyi Shan (mts.), Fujian, China, Asia
117°40'00" O 27°40'00" N

kradung, Terraplistes

S. Ingrisch, 2006

Ingrisch, 2006: Rev. suisse de zoo. 113(1):191

- ORT 2006/1403** **Holotype** 1 adult male
THAILAND, Loei Prov., Phu Kradung, Aufstieg d. Laubwald, 27.5.1988, S.Ingrisch --- HOLOTYPE - Terraplistes
kradung Ingrisch sp.n. - male - det. S.Ingrisch 2004 --- Terraplistes kradung Ingrisch sp.n. - male - det. S.Ingrisch 2004
- HOLOTYPE - ID: CIGmogterS12
27.5.1988
Phu Kradung (mts.), Loei, Thailand, Asia
101°47'00" O 16°55'00" N (site information)
- ORT 2006/1404** **Paratype** 1 adult female
27.5.1988
Phu Kradung (mts.), Loei, Thailand, Asia
101°47'00" O 16°55'00" N (site information)

laem, Micronebius

S. Ingrisch, 2006

Ingrisch, 2006: Rev. suisse de zoo. 113(1):175

- ORT 2006/1349** **Holotype** 1 adult male
THAILAND: Thong Pha Phum, Weide Garten, Wald am Licht, 15.6.1986, S.Ingrisch --- HOLOTYPE - Micronebius laem
Ingrisch sp.n. - male - det. S.Ingrisch 2004 --- Micronebius laem Ingrisch sp.n. - male - det. S.Ingrisch 2004 -
HOLOTYPE - ID: CIGmogo27S05
15.6.1986
Thong Pha Phum, Kanchanaburi, Thailand, Asia
98°38'00" O 14°44'00" N

leroi*, *Aulocaroides

Werner, 1913

Werner, 1913: Zool. Jb. Abt. Syst. Ökol. Geogr. Tiere 34(2): 218

ORT 2003/354 **Holotype** 1 adult male
 36 --- Aulocaroides leroii Werner --- Taufikia --- 29.III.10 --- männlich --- Typus --- Typus
 29.3.1910
 Taufikia (= Tawfiqiyah), A'ali an Nil, Sudan, Africa
 31°37'45" O 09°25'54" N

lineatus*, *Micronebius

S. Ingrisch, 2006

Ingrisch, 2006: Rev. suisse de zoo. 113(1):176

ORT 2006/1350 **Holotype** 1 adult male
 EAST MALAYSIA: Sabah, Crocker Range, 19.ii.2001 - canopy fogging - leg. A.Floren - CRB2KI --- HOLOTYPE -
 Micronebius lineatus Ingrisch sp.n. - male - det. S.Ingrisch 2004 --- Micronebius lineatus Ingrisch sp.n. - male - det.
 S.Ingrisch 2004 - ID: OGFderincS24 - mit Bleistift: 24
 19.2.2001
 Crocker Range (mts.), Sabah, Malaysia, Asia
 116°08'00" O 5°26'00" N (site information)

ORT 2006/1351,1352 **Paratype** 2 adult male
 19.2.2001
 Crocker Range (mts.), Sabah, Malaysia, Asia
 116°08'00" O 5°26'00" N (site information)

ORT 2006/1353 **Paratype** 1 adult female
 20.2.2001
 near village Ulu Liawan, Crocker Range (mts.), Sabah, Malaysia, Asia
 116°05'00" O 5°24'00" N (site information)

lobicauda*, *Cycloptiloides

S. Ingrisch, 2006

Ingrisch, 2006: Rev. suisse de zoo. 113(1): 180

ORT 2006/1337 **Holotype** 1 adult female
 THAILAND: Kanchanaburi - Erawan WF - Urwald - 31.1.1987 - S.Ingrisch --- HOLOTYPE - Cycloptiloides lobicauda
 Ingrisch sp.n. - female - det. S.Ingrisch 2004 --- Cycloptiloides lobicauda Ingrisch sp.n. det. S. Ingrisch 2004 -
 HOLOTYPE - ID: CIGmogo30S01
 31.1.1987
 Erawan Waterfall, Kanchanaburi, Thailand, Asia
 99°04'00" O 14°22'00" N (site information)

longicauda*, *Bispinolakis

S. Ingrisch, 1998

Ingrisch, 1998: Courier Forsch. inst. Senckenberg. 206: 55

ORT 2005/419 **Allotype** 1 adult female
 MALAYSIA; Sabah Sayap - 14.6.1993 - leg. Hoffmann --- Allotype (female): Bispinolakis - longicauda - det. S.Ingrisch,
 1996 --- DORSA - CITbision P01 ---
 14.6.1993
 Sayab-Kinabalu Park, Sabah, Malaysia, Asia

ORT 2005/420 **Paratype** 1 adult male
 MALAYSIA; Sabah Sayap - 17.6.1993 - leg. Hoffmann --- Paratype (male): Bispinolakis - longicauda - det. S.Ingrisch,
 1996 --- DORSA - CITbision P03 ---
 17.6.1993
 Sayab-Kinabalu Park, Sabah, Malaysia, Asia

Insect Types in the ZFMK Collection, Bonn: Mantodea, Orthoptera

maninjau, Micronebius

S. Ingrisch, 2006

Ingrisch, 2006: Rev. suisse de zoo. 113(1):177

ORT 2006/1354 **Holotype** 1 adult male
 Indonesia: West Sumatra, Maninjau, 500-700m, in hollow plant stem, 15.III.1995 - S.Ingrisch --- HOLOTYPE -
 Micronebius maninjau Ingrisch sp.n. - male - det. S.Ingrisch 2004 --- Micronebius maninjau Ingrisch sp.n. - male - det.
 S.Ingrisch 2004 - HOLOTYPE - ID: CIGmogolT666 --- Stridulation (S): 798 SO2/95: 237-286 2503 D30:
 1.42.55-1.45.00 - mit Bleistift: 666
 15.3.1995
 Maninjau, Sumatera (isld.), Indonesia, Asia
 100°14'00" O 0°18'00" S

ORT 2006/1355 **Paratype** 1 adult female
 14.3.1995
 Maninjau, Sumatera (isld.), Indonesia, Asia
 100°14'00" O 0°18'00" S

marginatus, Ornebius

S. Ingrisch, 1998

Ingrisch, 1998: Senckenberg. biol. 77(2): 226

ORT 2002/140 **Holotype** 1 adult male
 Borneo - Sabah - Poring - 6°5' N ; 116°33' E - --- 1993 - leg. A. Floren - XA 4/F1 Holotype männlich --- Ornebius
 marginatus Ingrisch n.sp.
 1993
 Poring (= Kampong Poring), Kinabalu Taman Negara (park, mts.), Sabah, Malaysia, Asia
 116°43'00" O 06°03'00" N

ORT 2002/141 **Allotype** 1 adult female
 5.2.1994

ORT 2002/142 **Paratype** 1 adult female
 21.2.1992

ORT 2002/143,2334 **Paratype** 2 adult female
 12.3.1992

ORT 2002/144,145,150,159-161,164-65,2338,2345-46
 Paratypes 11 adult female
 1993

ORT 2002/2349 **Paratype** 1 adult female
 16.2.1994

ORT 2002/2335 **Paratype** 1 adult male
 12.3.1992

ORT 2002/146-149,151,162-163,166,2336-37,2339-44,2347-48
 Paratypes 18 adult male
 1993

ORT 2002/167 **Paratype** 1 adult male
 16.2.1994
 Poring (= Kampong Poring), Kinabalu Taman Negara (park, mts.), Sabah, Malaysia, Asia
 116°43'00" O 06°03'00" N

meneliki, Myrmecophila

Reichensperger, 1913

Reichensperger, 1913: Zool. Jb 35(2): 214

ORT 2004/67 **Syntype** 1 adult female
 Harrar II. Abessin. AR --- b. Camp. maculatus Fab. i. sp. --- Myrmecophila meneliki --- female n.sp. Type ! AR ---
 Coll. Reichensperger --- TYPUS
 Harrar (= Harer), Harerge, Ethiopia, Africa
 42°07'00" O 09°18'59" N

Insect Types in the ZFMK Collection, Bonn: Mantodea, Orthoptera

- ORT 2004/68** **Syntype** 1 adult male
 Harrar II. Abessin. AR --- b. Camp. rufoglaucus Jerd. st. flavomarginatus Mayr --- Myrmecophila meneliki ---
 male n.sp. Type ! AR --- Coll. Reichensperger --- TYPUS
 Harrar (= Harer), Harerge, Ethiopia, Africa
 42°07'00" O 09°18'59" N
- ORT 2004/69** **Syntype** 1 adult male
 Harrar VI. Abessin. Kristensen AR --- Myrmecoph. meneliki n. sp. R'perger --- b. Pheid. megacephala. Harar Krist.
 Harrar (= Harer), Harerge, Ethiopia, Africa
 42°07'00" O 09°18'59" N
- ORT 2004/70** **Syntype** 1 adult female
 Myrmecoph. meneliki n. sp. R'perger --- Acant. cap. canescens. Kristensen ! ---
 Coll. Reichensperger
 Harrar (= Harer), Harerge, Ethiopia, Africa
 42°07'00" O 09°18'59" N
- ORT 2004/71** **Syntype** 1 adult male
 Harrar V. Abessin. Kristensen --- Myrmecoph. meneliki n. sp. R'perger ---
 b. Acanth. cap. canescens. Kristensen !
 Harrar (= Harer), Harerge, Ethiopia, Africa
 42°07'00" O 09°18'59" N
- ORT 2004/72** **Syntype** 1 adult male
 Myrmecoph. meneliki n. sp. R'perger --- b. Acanthol. cap. canesc. Kristensen ! ---
 Coll. Reichensperger
 Harrar (= Harer), Harerge, Ethiopia, Africa
 42°07'00" O 09°18'59" N

minoculus, Velarifictorus (Velarifictorus)

S. Ingrisch, 1998

Ingrisch, 1998: Ent. Scand. 29(3): 332

- ORT 2002/106** **Holotype** 1 adult male
 Thailand - Tak Prov. - Doi Mon Kathing-Doi Kathing - 800-1000 m - 20.5.1988 - leg. S. Ingrisch --- Holotype männlich
 --- Velarifictorus minoculus Ingrisch n.sp.
 20.5.1988
 Mae Salid, Monkrating, Doi Den Kathing (mts.), Tak, Thailand, Asia
 98°05'00" O 17°30'00" N (site information)
- ORT 2002/107** **Paratype** 1 adult female
 15.5.1988
 Mae Salid, Monkrating, Doi Den Kathing (mts.), Tak, Thailand, Asia
 98°05'00" O 17°30'00" N (site information)

modicoides, Velarifictorus (Velarifictorus)

S. Ingrisch, 1998

Ingrisch, 1998: Ent. Scand. 29(3): 334

- ORT 2002/108** **Holotype** 1 adult male
 Thailand - Phuket - Patong Hill - Strandnähe Sanddünen/Kokospalmen - 10/12.6.1986 – leg. S. Ingrisch --- Holotype
 männlich --- Velarifictorus modicoides Ingrisch n.sp. --- det.
 S. Ingrisch, 1998
 10-12.6.1986
 Patong, Phuket, Thailand, Asia
 98°17'00" O 07°50'00" N (site information)
- ORT 2002/109** **Paratype** 1 adult female
 12.6.1986
 Patong, Phuket, Thailand, Asia
 98°17'00" O 07°50'00" N (site information)

moniliatennatus, Phaestus

Günther, 1940

Current Classification: ***Phaesticus moniliatennatus* (Günther, 1940)**

Günther, 1940 : Decheniana 98A(2): 250

Otte and Naskrecki (2004): OSF2: [Phaesticus]

ORT 2003/2982 **Holotype** 1 adult

Kuatun (2300 m) 27,40 n.Br. - 117,40 ö.L. J. Klapperich - 24.5.1938 - (Fukien) --- *Phaestus moniliatennatus* n.sp.

- K. Günther det. ---Typus

24.5.1938

Kuatun, Wuyi Shan (mts.), Fujian, China, Asia

117°40'00" O 27°40'00" N

montanus, Orophyllus

Beier, 1954

Beier, 1954: Revision der Pseudophyllinen: 75

ORT 2002/1130 **Holotype** 1 adult female

Kuatun (2300 m) 27.40n Br. ---- 117.40ö J. Klapperich --- 1.8.1938 (Fukien) --- Type --- *Orophyllus* n.g. *montanus*

n.sp. --- det. Beier --- Type ! weiblich

1.8.1938

Kuatun, Wuyi Shan (mts.), Fujian, China, Asia

117°40'00" O 27°40'00" N

nubica, Phlaeoba

Werner, 1913

Current Classification: ***Ochrilidia nubica* (Werner, 1913)**

Werner, 1913: Zool. Jb. Abt. Syst. Ökol. Geogr. Tiere 34(2): 219

Jago, 1977: *Acrida* 6: 171 [Syn. of *Ochrilidia tibialis*]

Mishchenko, (1986): *Ent. Obozr.* 65(4): 711 [Valid species]

ORT 2003/3357 **Holotype** 1 adult female

112 --- *Phlaeoba nubica* Wern. --- Nubien --- 1897 --- female --- Typus

1897

Nubia, Africa

pakchong, Cycloptiloides

S. Ingrisch, 2006

Ingrisch, 2006: *Rev. suisse de zoo.* 113(1): 182

ORT 2006/1338 **Holotype** 1 adult male

Thailand, Nakhon Ratchasima, Pak Chong, Wat Khao Chantree, 350 m, dry forest, 9.IV.1995 S.Ingrisch --- HOLOTYPE,

Cycloptiloides pakchong Ingrisch det. sp.n. - male - det. S. Ingrisch 2004 --- *Cycloptiloides pakchong* Ingrisch sp.n. -

male - det.S.Ingrisch 2004 - HOLOTYPE - ID: CIGmogo28T662 - mit Bleistift: 299

9.4.1995

Wat Khao Chantree, Pak Chong, Nakhon Ratchasima, Thailand, Asia

101°20'00" O 14°43'00" N (site information)

peniculatus, Ornebius

S. Ingrisch, 2006

Ingrisch, 2006: *Rev. suisse de zoo.* 113(1):156

ORT 2006/1392 **Holotype** 1 adult male

THAILAND, Tak Prov., Doi Ka Thing, 800-1000m, 15.5.1988, S.Ingrisch --- HOLOTYPE - *Ornebius peniculatus* Ingrisch

sp.n. - male - det. S.Ingrisch 2004 --- *Ornebius peniculatus* Ingrisch sp.n. - male - det. S.Ingrisch 2004 - HOLOTYPE -

ID: CIGorne17T279 --- mit Bleistift: 279

15.5.1988

Mae Salid, Monkrating, Doi Den Kathing (mts.), Tak, Thailand, Asia

98°05'00" O 17°30'00" N (site information)

plurilingua, Noctitrella

S. Ingrisch, 1997

Ingrisch, 1997: Senckenberg. biol. 77(1): 54

ORT 2002/131 **Holotype** 1 adult male
 Thailand - Tak - Mae Salid Monkrating - 700 m - 1.VIII.1992 ex larvae - leg. S. Ingrisch Holotype männlich ---
Noctitrella plurilingua Ingrisch n.sp. --- det. S. Ingrisch, 1997
 1.8.1992
 Mae Salid, Monkrating, Doi Den Kathing (mts.), Tak, Thailand, Asia
 98°05'00" O 17°30'00" N (site information)

ORT 2002/132 **Paratype** 1 adult female
 14.10.1985
 Krathing (waterfalls), Khao Khitchakut (NP), Chanthaburi, Thailand, Asia

pui, Cycloptiloides

S. Ingrisch, 2006

Ingrisch, 2006: Rev. suisse de zoo. 113(1): 183

ORT 2006/1339 **Holotype** 1 adult male
 Thailand, Choang Mai prov., Doi Suthep, 1150 - 1350m, mountain forest, 28.V.1997 S.Ingrisch --- HOLOTYPE -
Cycloptiloides pui Ingrisch sp.n. - male - det. S.Ingrisch 2004 --- *Cycloptiloides pui* Ingrisch sp.n. male - det. S.Ingrisch
 2004 - HOLOTYPE - ID: CIGmogo25S01 --- mit Bleistift: 1C98
 28.5.1997
 Doi Suthep-Pui (mts.), Chiang Mai, Thailand, Asia
 98°55'00" O 18°48'00" N (site information)

ORT 2006/1340 **Paratype** 1 adult female
 4.5.1988
 Doi Suthep-Pui (mts.), Chiang Mai, Thailand, Asia
 98°55'00" O 18°48'00" N (site information)

pui, Velarifictorus (Velarifictorus)

S. Ingrisch, 1998

Ingrisch, 1998: Ent. Scand. 29(3): 327

ORT 2002/110 **Holotype** 1 adult male
 Thailand - Chiang Mai - Doi Suthep/Pui - 1300-1400 m - shaded forest trail - 8.X.1991 – leg. S. Ingrisch --- Holotype
 männlich --- *Velarifictorus pui* Ingrisch n.sp. --- det. S. Ingrisch, 1998
 8.10.1991
 Doi Suthep-Pui (mts.), Chiang Mai, Thailand, Asia
 98°53'00" O 18°48'00" N (site information)

ORT 2002/111 **Paratype** 1 adult female
 24.9.1985
 Doi Pui (mts.), Chiang Mai, Thailand, Asia
 98°54'00" O 18°50'00" N (site information)

rectus, Velarifictorus (Velarifictorus)

S. Ingrisch, 1998

Ingrisch, 1998: Ent. Scand. 29(3): 331

ORT 2002/112 **Holotype** 1 adult male
 Thailand - Tak Prov.- Doi Kathing - ca. 800 mNN- Urwaldlichtung - 14.5.1988 - leg. S. Ingrisch Holotype männlich
 --- *Velarifictorus rectus* Ingrisch n.sp. --- det. S. Ingrisch, 1998
 14.5.1988
 Mae Salid, Monkrating, Doi Den Kathing (mts.), Tak, Thailand, Asia
 98°05'00" O 17°30'00" N (site information)

reginae, Sudanicus

Werner, 1913

Werner, 1913: Zool. Jb. Abt. Syst. Ökol. Geogr. Tiere 34(2): 203-221

ORT 2002/348 **Holotype** 1 adult female
 79 --- Sudanicus reginae Werner --- weiblich --- Bahr el Ghazal --- I.III.10 --- Typus
 1.3.1910
 Bahr al Ghazal, Bahr al Ghazal, Sudan, Africa
 27°40'00" O 07°46'00" N

rubidus, Ornebius

S. Ingrisch, 1998

Ingrisch, 1998: Senckenberg. biol. 77(2): 228

ORT 2002/185 **Holotype** 1 adult male
 Borneo - Sabah - Poring - 6°5' N ; 116°33' E - 3.IV.1993 - leg. A. Floren - UB4 Apo 9 Holotype männlich --- Ornebius
 rubidus Ingrisch n.sp.
 3.4.1993
 Poring (= Kampong Poring), Kinabalu Taman Negara (park, mts.), Sabah, Malaysia, Asia
 116°43'00" O 06°03'00" N

ORT 2002/186 **Allotype** 1 adult female
 1993
 Poring (= Kampong Poring), Kinabalu Taman Negara (park, mts.), Sabah, Malaysia, Asia
 116°43'00" O 06°03'00" N

samudra, Ornebius

S. Ingrisch, 2006

Ingrisch, 2006: Rev. suisse de zoo. 113(1):159

ORT 2006/1393 **Holotype** 1 adult male
 Indonesia, West Java, Palabuan Ratu, Samudra beach, forest, 5.III.1995, S.Ingrisch --- HOLOTYPE - Ornebius
 samudra Ingrisch sp.n. - male - det. S.Ingrisch 2004 --- Ornebius samudra Ingrisch sp.n. - male - det. S.Ingrisch 2004 -
 HOLOTYPE - ID: CIGmogo2T683 --- mit Bleistift: 683
 5.3.1995
 Samudra beach, Palabuan Ratu (bays), Jawa Barat, Jawa (isld.), Indonesia, Asia
 106°30'00" O 6°58'00" S (site information)

ORT 2006/1394 **Paratype** 1 adult female
 3.3.1995
 Samudra beach, Palabuan Ratu (bays), Jawa Barat, Jawa (isld.), Indonesia, Asia
 106°30'00" O 6°58'00" S (site information)

samui, Ectatoderus

S. Ingrisch, 2006

Ingrisch, 2006: Rev. suisse de zoo. 113(1):168

ORT 2006/1344 **Holotype** 1 adult male
 Thailand, Ko Samui, Hin Lad Falls, forest, 26.-27.IX.1989 S.Ingrisch --- HOLOTYPE, Ectatoderus samui Ingrisch sp.n. -
 male - det. S.Ingrisch 2004 --- Ectatoderus samui Ingrisch sp.n. - male - det. S.Ingrisch 2004 - HOLOTYPE - ID:
 CIGectmisS01
 26.-27.9.1989
 Hin Lad Falls (waterfall), Koh Samui (isld.), Nakhon Si Thammarat, Thailand, Asia
 98°58'00" O 9°31'00" N (site information)

sauteri, Coptotettix

Günther, 1941

Günther, 1941: Stettin. Ent. Ztg. 102(2): 162

ORT 2003/2900 **Syntype** 1 adult
Shaowu-Fukien - (500 m) J. Klapperich - 29.5.1937 --- Coptotettix - sauteri - K. Günther in lit --- Syntypus
29.5.1937
Shaowu, Wuyi Shan (mts.), Fujian, China, Asia
117°30'00" O 27°17'59" N

serratus, Ornebius

S. Ingrisch, 2006

Ingrisch, 2006: Rev. suisse de zoo. 113(1):161

ORT 2006/1395 **Holotype** 1 adult female
Thailand, Chiang Mai pr., 11km NE Samoeng, 1150-1200km, mt. forest, 29.V.1997, S.Ingrisch --- HOLOTYPE -
Ornebius serratus Ingrisch sp.n. - female - det. S.Ingrisch 2004 --- Ornebius serratus Ingrisch sp.n. - female - det.
S.Ingrisch 2004 - HOLOTYPE - ID: CIGorne14S01
29.5.1997
Samoeng, Chiang Mai, Thailand, Asia
98°48'00" O 18°52'00" N (site information)

sinicum, Platygavalidium

Günther, 1939

Günther, 1939: Abh. Ber. st. Mus. Tierk., Dresden 20: 312

ORT 2003/2895 **Holotype** 1 adult
Shaowu-Fukien - (500m) J. Klapperich - 29.6.1937 --- Platygavalidium sinicum n.sp. - K. Günther det. Typus
29.6.1937
Shaowu, Wuyi Shan (mts.), Fujian, China, Asia
117°30'00" O 27°17'59" N

ORT 2003/2896 **Allotype** 1 adult
29.6.1937
Shaowu, Wuyi Shan (mts.), Fujian, China, Asia
117°30'00" O 27°17'59" N

spinosus, Velarifictorus (Velarifictorus)

S. Ingrisch, 1998

Ingrisch, 1998: Ent. Scand. 29(3): 324

ORT 2002/113 **Holotype** 1 adult male
Thailand - Tak - Umphang - fields/forest at night - 18.X.1991 - leg. S. Ingrisch --- Holotype männlich --- Velarifictorus
spinosus Ingrisch n.sp.
18.10.1991
Umphang, Tak, Thailand, Asia
98°50'00" O 16°02'00" N (site information)

ORT 2002/114 **Paratype** 1 adult female
15.10.1991
Umphang, Tak, Thailand, Asia
98°50'00" O 16°00'00" N (site information)

sulcifrons, Velarifictorus (Velarifictorus)

S. Ingrisch, 1998

Ingrisch, 1998: Ent. Scand. 29(3): 325

ORT 2002/115 **Holotype** 1 adult male
 Thailand - Tak - Lan Sang NP - dry evergreen forest - 14.IV.1994 ex larvae - leg. S. Ingrisch Holotype männlich ---
Velarifictorus sulcifrons Ingrisch n.sp. --- det. S. Ingrisch, 1998
 14.4.1994
 Lan Sang, Tak, Thailand, Asia
 99°00'00" O 16°45'00" N (site information)

ORT 2002/116 **Paratype** 1 adult female
 10.10.1990
 Lan Sang, Tak, Thailand, Asia
 99°00'00" O 16°45'00" N (site information)

szijji, Chorthippus

Harz, 1982

Harz, 1982: Articulata 1(20): 229

ORT 2004/3 **Holotype** 1 adult male
 Timahdit, 1800 --- Maroh --- 22.7.77 --- *Chorthippus* --- *szijji* n.sp. --- Kurt Harz det. --- Holotypus
 22.7.1977
 Timahdit (= Timhadit), Moyen Atlas, Ifrane, Morocco, Africa
 05°04'00" W 33°14'00" N

ORT 2004/4 **Allotype** 1 adult female
 22.7.1977

ORT 2004/5 **Paratype** 1 adult male
 22.7.1977
 Timahdit (= Timhadit), Moyen Atlas, Ifrane, Morocco, Africa
 05°04'00" W 33°14'00" N

tenebrus, Calyptotrypus

S. Ingrisch, 1997

Current classification: ***Sonotrella (Megatrella) tenebra (Ingrisch 1997)***

Ingrisch, 1997: Senckenberg. biol. 77 (1): 50
 Gorochov, A.V. (2002). Zoosyst. Rossica 10: 318 [*Sonotrella (Megatrella) tenebra*]

ORT 2002/99 **Holotype** 1 adult male
 Thailand - Surat Thani - Khao Sok - 150m at light - 24.I.1997 - leg. S. Ingrisch --- Holotype männlich ---
Calyptotrypus tenebrus Ingrisch n.sp. --- det. S. Ingrisch, 1997
 24.1.1997
 Khao Sok (NP), Surat Thani, Thailand, Asia
 98°30'00" O 08°55'00" N (site information)

tenepalpus, Velarifictorus (Velarifictorus)

S. Ingrisch, 1998

Ingrisch, 1998: Ent. Scand. 29(3): 322

ORT 2002/117 **Holotype** 1 adult male
 Thailand - Tak - Lan Sang NP - dry evergreen forest - 14.IV.1994 at night - leg. S. Ingrisch Holotype männlich ---
Velarifictorus tenepalpus Ingrisch n.sp. --- det. S. Ingrisch, 1998
 14.4.1994
 Lan Sang, Tak, Thailand, Asia
 99°00'00" O 16°45'00" N (site information)

Insect Types in the ZFMK Collection, Bonn: Mantodea, Orthoptera

ORT 2002/118 **Paratype** 1 adult male
14.4.1994
Lan Sang, Tak, Thailand, Asia
99°00'00" O 16°45'00" N (site information)

timah, Cycloptiloides

S. Ingrisch, 2006

Ingrisch, 2006: Rev. suisse de zoo. 113(1):184

ORT 2006/1341 **Holotype** 1 adult male
Singapore Bukit Timah, primary rain forest, 1.III.1993 - Ingrisch --- HOLOTYPE - Cycloptiloides timah - Ingrisch sp.n. - male - det. S.Ingrisch 2004 --- Cycloptiloides timah Ingrisch sp.n. - male - det. S.Ingrisch 2004 - HOLOTYPE - ID: ClGmogo24S02
1.3.1993
Bukit Timah, Singapore, Singapore, Asia
103°47'00" O 12°00'00" N (site information)

ORT 2006/1342 **Paratype** 1 adult female
1.3.1993
Bukit Timah, Singapore, Singapore, Asia
103°47'00" O 12°00'00" N (site information)

transversa, Zvenella

S. Ingrisch, 1997

Ingrisch, 1997: Senckenberg. biol. 77(1): 65

ORT 2002/125 **Holotype** 1 adult male
Thailand - Ko Samui - Hin Lad Falls - Urwaldpfad - 26-27.IX.1989 - leg. S. Ingrisch --- Holotype männlich --- Zvenella transversa Ingrisch n.sp. --- det. S. Ingrisch, 1997
26.-27.9.1989
Hin Lad Falls, Ko Samui (isld.), Surat Thani, Thailand, Asia
98°58'00" O 09°31'00" N (site information)

ORT 2002/126 **Allotype** 1 adult female
8.10.1985
Hin Lad Falls, Ko Samui (isld.), Surat Thani, Thailand, Asia
98°58'00" O 09°31'00" N (site information)

triangularis, Velarifictorus (Velarifictorus)

S. Ingrisch, 1998

Ingrisch, 1998: Ent. Scand. 29(3): 323

ORT 2002/119 **Paratype** 1 adult male
Thailand - Chiang Mai - Doi Suthep/Pui - 1300-1400 m - shaded forest trail - 8.X.1991 - leg. S. Ingrisch --- Paratype männlich --- Velarifictorus triangularis Ingrisch n.sp.
8.10.1991
Doi Suthep-Pui (mts.), Chiang Mai, Thailand, Asia
98°53'00" O 18°48'00" N (site information)

ORT 2002/120 **Paratype** 1 adult female
12.9.1989
Doi Suthep-Pui (mts.), Chiang Mai, Thailand, Asia
98°55'00" O 18°48'00" N (site information)

Insect Types in the ZFMK Collection, Bonn: Mantodea, Orthoptera

tuberculatus, *Ornebius*

S. Ingrisch, 2006

Ingrisch, 2006: Rev. suisse de zoo. 113(1):162

ORT 2006/1396 **Holotype** 1 adult male

THAILAND: Loei Prov., Phu Kradung, 1500m, Plateau Grasland, 27.5.1988, S.Ingrisch --- HOLOTYPE - *Ornebius tuberculatus* Ingrisch sp.n. - male - det. S.Ingrisch 2004 --- *Ornebius tuberculatus* Ingrisch sp.n. - male - det. S.Ingrisch 2004 --- HOLOTYPE - ID: CIGorne17T324

27.5.1988

Phu Kradung (mts.), Loei, Thailand, Asia

101°47'00" O 16°55'00" N (site information)

ORT 2006/1397 **Paratype** 1 adult female

27.5.1988

Phu Kradung (mts.), Loei, Thailand, Asia

101°47'00" O 16°55'00" N (site information)

vadus, *Ornebius*

S. Ingrisch, 1998

Ingrisch, 1998: Senckenberg. biol. 77(2): 228

ORT 2002/187 **Holotype** 1 adult male

Borneo - Sabah - Poring - 6°5' N ; 116°33' E - 1993 - leg. A. Floren - 165b --- Holotype männlich - *Ornebius vadus* Ingrisch n.sp. - det. S. Ingrisch, 1997 --- DORSA - CIGornvadHTM ---

1993

Poring (= Kampong Poring), Kinabalu Taman Negara (park, mts.), Sabah, Malaysia, Asia

116°43'00" O 06°03'00" N

ORT 2002/188 **Allotype** 1 adult female

1993

Poring (= Kampong Poring), Kinabalu Taman Negara (park, mts.), Sabah, Malaysia, Asia

116°43'00" O 06°03'00" N

ORT 2004/73-74 **Paratypes** 2 adult female

ORT 2004/75 **Paratype** 1 adult male

1993

Poring (= Kampong Poring), Kinabalu Taman Negara (park, mts.), Sabah, Malaysia, Asia

116°43'00" O 06°03'00" N

versicolor, *Truljalia*

S. Ingrisch, 1997

Ingrisch, 1997: Senckenberg. biol. 77(1): 52

ORT 2002/121 **Holotype** 1 adult male

Thailand - Khao Yai NP - ca. 800 m - forest; light trap - 15.-18.X.1990 - leg. S. Ingrisch - Holotype männlich --- *Truljalia versicolor* Ingrisch n.sp. --- det. S. Ingrisch, 1997

15.-18.10.1990

Khao Yai (NP), Nakhon Ratchasima, Thailand, Asia

101°23'00" O 14°23'00" N (site information)

ORT 2002/122 **Paratype** 1 adult female

Thailand - Lampang - Doi Khun Tan - 900-1000 m - savanna forest - 16.-17.IX.1993 - leg. S. Ingrisch

Paratype weiblich --- *Truljalia versicolor* Ingrisch n.sp.

16.-17.9.1993

Khun Tan, Doi Khun Tan Noi, Lamphun, Thailand, Asia

99°18'00" O 18°29'00" N (site information)

vidhyavathiae, *Himertula*

S. Ingrisch, 2003

Ingrisch, 1003: Bonn. zool. Beitr. 51(4): 305

ORT 2004/1 **Holotype** 1 adult male
 India, Tamil Nadu, --- Chengleput, wasteland --- ca 250m ab. sea level --- 17.VII.1999 --- N. Senthilkumar --- mit
 Genital 11 --- *Himertula vidhyavathii* --- n.sp. male --- det. S.Ingrisch, 2000 --- Holotypus male --- *Himertula* ---
vidhyavathiae --- Ingr. & Muralir., 2003 --- det. S.Ingrisch, 2002 --- DORSA --- OThinvidS01
 17.7.1999
 Chengleput (= Chengalpattu), Chengalpattu, Tamil Nadu, India, Asia
 79°58'59 " O 12°41'59" N

ORT 2004/2 **Paratype** 1 adult female
 17.7.1999
 Chengleput (= Chengalpattu), Chengalpattu, Tamil Nadu, India, Asia
 79°58'59 " O 12°41'59" N

References

- BEIER, M. (1954): Revision der Pseudophyllinen 1. Hälfte. Trabajos del Instituto Español de Entomología, Madrid:1-479.
- BEIER, M. (1964): Orthopterorum catalogus. Pars 6: *Blattariae*: Subordo *Blaberoidea*: Fam.: *Panchloridae*, *Gynopeltididae*, *Derocalymmidae*, *Perisphaeriidae*, *Pycnoscelididae*. Uitgeverij Dr. W. Junk, 's-Gravenhage:1-288.
- BROWN, P. AND G.B. STRATTON (1963): World List of Scientific Periodicals Published in the Years 1900 – 1960. London, Butterworths:1-1824.
- GOROCHOV, A.V. (2002). Taxonomy of *Podoscirtinae* (*Orthoptera: Gryllidae*). Part 1: the male genitalia and Indo-Malayan *Podoscirtini*. – Zoosystematica Rossica, St. Petersburg, **10**:303–350.
- GÜNTHER, K. (1939): Revision der *Acrydiinae* (*Orthoptera*), III Sectio Amorphi (Metrodora Bol. 1887, aut.). Abhandlungen und Berichte aus den Staatlichen Museen für Tierkunde und Völkerkunde in Dresden (Reihe. A: Zoologie) **20**:1-335.
- GÜNTHER, K. (1940a): Die von J. Klapperich, Bonn, in Fokien (Südostchina) gesammelten Dornschrecken (*Orth.*, *Acrididae*, *Acrydiinae*). Decheniana **99A(2)**:249-254.
- GÜNTHER, K. (1940b): Neue Stabheuschrecken (Phasmoiden) aus China (Ausbeuten J.Klapperich, Bonn, u.a.). Decheniana **99 B(2)**:237-248.
- GÜNTHER, K. (1941): Revision der *Acrydiinenausbeute* H. Sauters von Formosa (*Orth.*). Stettiner Entomologische Zeitung **102(2)**:145-165.
- HARZ, K. (1971): Orthopterologische Beiträge IX. Atalanta **3**:331-338.
- HARZ, K. (1975). The Orthoptera of Europe II. – Series entomologica **11**: 939 pp.; The Hague (Dr. W. Junk N.V.).
- HARZ, K. (1982): Zwei neue Chorthippusarten aus Marokko. Articulata **1(20)**:227-231.
- INGRISCH, S. (1995): Eine neue Ameisengrille aus Borneo (*Ensifera: Grylloidea*). Entomologische Zeitschrift **105(21)**:421-427.
- INGRISCH, S. (1997): Taxonomy, stridulation and development of *Podoscirtinae* from Thailand (*Insecta: Ensifera: Grylloidea: Podoscirtidae*). Senckenbergiana biologica **77(1)**:47-75.
- INGRISCH, S. (1998a): New Mogoplistinae from the Kinabalu region in Sabah, North Borneo (*Insecta: Ensifera: Grylloidea: Mogoplistidae*). Senckenbergiana biologica, **77(2)**:225-234.
- INGRISCH, S. (1998b): The genera *Velarifictorus*, *Modiogyllus* and *Mitius* in Thailand (*Ensifera: Gryllidae: Gryllinae*). Entomologica Scandinavica **29(3)**:315-359.

Insect Types in the ZFMK Collection, Bonn: Mantodea, Orthoptera

- INGRISCH, S. (1998c): Neue Taxa der *Mirolliini* aus Südost-Asien (*Ensifera: Tettigoniidea: Phaneropteridae*). Entomologische Zeitschrift **108(3)**:85-104.
- INGRISCH, S. (1998d): Monograph of the Oriental Agraeciini (*Insecta, Ensifera, Tettigoniidae*) Taxonomic revision, phylogeny, biogeography, stridulation and development. Courier Forschungsinstitut Senckenberg **206**:1-391.
- INGRISCH, S. (2006): New taxa and notes on some previously described species of scaly crickets from South East Asia (*Orthoptera, Grylloidea, Mogoplistidae, Mogoplistinae*). Revue suisse de Zoologie **113(1)**: 133-227.
- INGRISCH, S. AND M.C. MURALIRANGAN (2003): A New Species of *Himertula* (*Orthoptera, Tettigoniidae*) and Additional Records of *Tettigoniidae* from Tamil Nadu (India). Bonner zoologische Beiträge **51(4)**:305-312.
- JAGO, N.D. (1977). Revision of the genus *Ochrilidia* Stal, 1873, with comments on the genera *Sporobolius* Uvarov, 1941 and *Platypternodes* I. Bolivar, 1908 (*Orthoptera, Acrididae, Gomphocerinae*). – *Acrida* (Paris) **6**:163-217.
- JAGO, N.D. (1996). Review of western and eastern African genera of the *Dnopherula* complex (*Orthoptera, Acridoidea, Gomphocerinae*) with description of new genera and species. – *Journal of Orthoptera Research* **5**:69–124.
- JOHNSTON, H.B. (1956). Annotated catalogue of African grasshoppers. Cambridge (Univ. Press), 833pp.
- KALTENBACH, A. (1967): Unterlagen für eine Monographie der *Saginae* I. Superrevision der Gattung *Saga* CHARPENTIER (*Saltatoria: Tettigoniidae*). Beiträge zur Entomologie, Berlin. **17(1/2)**:3-107.
- KRUSEMAN, G. AND C.A.W. JEEKEL (1967): *Stenobothrus (Stenobothrodes) cotticus* nov.spec., a new grasshopper from the French Alps (*Orthoptera, Acrididae*). Entomologische Berichten (Amsterdam) **27(1)**:1-7.
- MISHCHENKO, L.L. (1986): On the knowledge of the grasshoppers of the genus *Ochrilidia* Stal (*Orthoptera, Acrididae*). Entomologicheskoy obozrenie. **65(4)**:709-718.
- OTTE, D., D.C. EADES AND P. NASKRECKI (2004): Orthoptera Species Files Online (Version 2.1). <http://osf2.orthoptera.org/entry/OSF2Frameset.htm> (28. 04. 2004)
- RAGGE, D.R. (1987). The songs of the western European grasshoppers of the genus *Stenobothrus* in relation to their taxonomy (*Orthoptera: Acrididae*). – *Bulletin of the British Museum (Natural History), Entomology Series*, London, **55**:393–424.
- REICHENSBERGER, A. (1913): Zur Kenntnis von Myrmecophilen aus Abessinien. Zoologische Jahrbücher, Abteilung für Systematik, Geographie und Biologie der Tiere **35(2)**:185-218.
- WERNER, F. (1913): Orthopteren aus Ägypten und dem angloägyptischen Sudan. Gesammelt auf den Reisen von Herrn Prof.A.Koenig 1897, 1903 und 1910. Zoologische Jahrbücher, Abteilung für Systematik, Oekologie und Geographie der Tiere **34(2)**:203-221.
- WIEMERS, M. (1993): Eine neue Gottesanbeterin der Gattung *Pseudoyersinia* von den Kanarischen Inseln (*Mantodea, Mantidae*). Nachrichten des Entomologischen Vereins Apollo **14(3)**:261-269.